






MEMOLUB ®
SMART LUBRICATION SYSTEMS







CATALOG

PRECISE - RELIABLE - ECONOMICAL



MEMOLUB SYSTEMS

MEMOLUB®	Standard (120cc)	Reference
	<ul style="list-style-type: none"> - MEMOLUB® HPS - MEMOLUB® EX II - MEMOLUB® EPS 24V - MEMOLUB® EPS 4,5V - MEMOLUB® PLC Driven - MEMOLUB® Full Control 	<ul style="list-style-type: none"> 1001 1031 1020 1301 1010 NA
MEMOLUB®	MEGA (240cc)	Reference
	<ul style="list-style-type: none"> - MEMOLUB® HPS - MEMOLUB® EX II - MEMOLUB® EPS 24V - MEMOLUB® EPS 4,5V - MEMOLUB® PLC Driven - MEMOLUB® Full Control 	<ul style="list-style-type: none"> 1002 1032 1021 1302 1011 NA
MEMOLUB®	GIGA (480cc)	Reference
	<ul style="list-style-type: none"> - MEMOLUB® HPS - MEMOLUB® EX II - MEMOLUB® EPS 24V - MEMOLUB® EPS 4,5V - MEMOLUB® PLC Driven - MEMOLUB® Full Control 	<ul style="list-style-type: none"> 1006 1036 1022 1305 1012 NA

KITS

KIT DISTRILUBE	Description	Reference
	<ul style="list-style-type: none"> • 1 Distributor Block DB4, 6 or 8 • 1 Installation Kit for DB • 4 Plug-in fittings Diameter 8 • Screws and bolts for mounting <p>Packing : Individually Pre-mounted in a box</p>	<ul style="list-style-type: none"> DB4 : 1505 DB6 : 1506 DB8 : 1507
KIT SPLITTER MEMO		
	<ul style="list-style-type: none"> • 1 Bracket for SPLITTER MEMO • Screws and Bolts for mounting • 2 Plug-in Fittings Diameter 8 <p>Packing : Individually Pre-mounted in a box</p>	1503
KIT SPLITTER OIL		
	<ul style="list-style-type: none"> • 1 Bracket for SPLITTER MEMO • Screws and Bolts for mounting • 2 Plug-in Fittings Diameter 8 • 2 Non Return Valves <p>Packing : Individually Pre-mounted in a box</p>	1504
KIT REMOTE INSTALLATION		
	<ul style="list-style-type: none"> • 1 Bracket for MEMOLUB • 1 Fitting F 1/4BSP – Diam. 8 <p>Packing : Individually in a Bag</p>	1508

ACCESSORIES

		Description	Reference
BATTERY		Battery	5001
DISTRIBUTORS		Installation kit for Distributor Block	1508
		Installation kit for Splitter	1502
		Splitter Memo	1910
		Distributor Block 4	2701
		Distributor Block 6	2702
		Distributor Block 8	2703
		Bridging Element	2705
BRUSHES		Bracket	2719
		Brush 15mm	2810
		Brush 30mm	2811
		Brush 50mm	2812
		Non returning valve	
FITTINGS		Elbow fitting 8/8	2711
		Elbow fitting 8/8	2712
		Push-in D8 1/8	2724
		Push-in D6 1/8	2729
ADAPTORS		Elbow Fitting M/F-BSP 1/8	
		M-F m5x080 - BSP 1/8	2730
		M-F m6x075 - BSP 1/8	2731
		M-F m6x100 - BSP 1/8	2732
		M-F m8x100 - BSP 1/8	2733
		M-F m8x125 - BSP 1/8	2734
		M-F m10x100- BSP 1/8	2735
		M-F m10x125- BSP 1/8	2736
		M-F m10x150-BSP 1/8	2737
		M-F m12x125-BSP 1/8	2738
		M-F m12x150-BSP 1/8	2739
		M-F m12x175-BSP 1/8	2740
TUBES		Tube Nylon D8	2723
		Tube Nylon D6	2728

		Base Oil Type	SOAP	N.L.G.I. Grade	Base oil Viscosity at 40°C	Base oil Viscosity at 0°C	Temperatures	Application
GREASES	CLS	Mineral	Li. Complex	2	99,4	3138	-15°C to +70°C	Multifunctional grease for low and medium speed. Excellent properties in wet environment.
	LT2	Mineral	Lithium	2	407	17430	-5°C to +70°C	USDA-H1 approved grease for food and pharmaceutical ind.
	PD2	Mineral	Lithium	2	95	2000	-15°C to +70°C	Grease for high speeds and for components under extreme loads.
	XT2	PAO	Polyurea	2	544	12444	-5°C to +200°C	High temperature grease for low and medium speeds.
	OG0	Mineral	Al. Complex	0	100	NA	-5°C to +70°C	Grease for open gears, rollers,...
	H1	Synthetic	Inorganic	2	270	2568	-10°C to +70°C	USDA-H1 grease for lubrication in the food and in the pharmaceutical industry.
		Base Oil Type	ISO Grade	Viscosity at 40°C	Viscosity at 0°C	Viscosity index	Temperatures	Application
OILS	KL23	Ester	23	248,5	23	114	-10°C to +250°C	Oil for chain lubrication in high temperatures or aggressive environment.
	Viscobleb 1500	PAO	1500	1443	103	158	-25°C to +200°C	Synthetic oil approved USDA-H1 for chain lubrication in the food or in the pharmaceutical industry.

MEMOLUB INTERNATIONAL S.A.

B – 1070 Brussels
Belgium
www.memolub.be

